

WELL SUMMARY REPORT  
(Submit in duplicate)

Operator Diamond Shamrock Field Wildcat  
Well No. Crown Zellerback 31-17 Sec. 17, T 6N, R 8W, \_\_\_\_\_ W. B. & M.  
Location 1300' S 2350' E from NE corner Elevation above sea level 512 feet  
All depth measurements taken from top of KB, which is 12 feet above ground

In compliance with the rules and regulations pursuant to ORS 520 (Chapter 667 OL 1953) the information given herewith is a complete and correct record of the present condition of the well and all work done thereon, so far as can be determined from all available records.

Date 1-28-82 Signed Alan Seuling  
John C. Schum D. Seuling Eng  
Engineer or Geologist Superintendent Title \_\_\_\_\_  
(President, Secretary or Agent)

Commenced drilling 6/25/81 Completed drilling 7/29/81 Drilling tools Cable Rotary  
Total depth 6092' Plugged depth 0' GEOLOGICAL MARKERS DEPTH  
Junk \_\_\_\_\_ Pittsburg Bluff (equiv.) surface  
\_\_\_\_\_ Keasey (equiv.) 2962'  
\_\_\_\_\_ Cowlitz (equiv.) 4790'

Commenced producing N/A Date \_\_\_\_\_ Flowing/gas lift/pumping  
(cross out unnecessary words)

Initial production  
Production after 30 days

Clean oil bbl. per day	Gravity Clean oil	Percent water including emulsion	Gas Mcf. per day	Tubing Pressure	Casing Pressure
N/A					
N/A					

CASING RECORD (Present Hole)

Size of casing (A.P.L.)	Depth or shoe	Top of casing	Weight of casing	New or second hand	Seamless or Lapweld	Grade of casing	Size of hole drilled	No. of sacks of cement	Depth of cementing if through perforations
9 5/8"	977' KB	Surface	36.0#	New	Smlss	K-55	13 1/2"	650	N/A

PERFORATIONS

Size of casing	From	To	Size of perforations	Number of rows	Distance between centers	Method of perforations
N/A	ft.	ft.				
	ft.	ft.				
	ft.	ft.				
	ft.	ft.				
	ft.	ft.				

Electrical Log Depths 6095' (Attach Copy of Log)