

WELL SUMMARY REPORT
(Submit in duplicate)

Operator Sinclair Oil & Gas Company Field Wildcat
Well No. 1 Eastern Ore. Land Co. Sec. 15, T 16S, R 4E, W. B. & M.
Location 1980' from WL; 660' from SL Elevation above sea level 2515 G.; 2528 K.B. feet
All depth measurements taken from ~~top of~~ ground, which is 2515 feet ~~above ground~~

In compliance with the rules and regulations pursuant to ORS 520 (Chapter 667 OL 1953) the information given herewith is a complete and correct record of the present condition of the well and all work done thereon, so far as can be determined from all available records.

Date December 6, 1955 Signed Henry W. DeJong
Henry W. DeJong Title Senior Geologist
Engineer or Geologist ~~Superintendent~~ (President, Secretary or Agent)

Commenced drilling July 28, 1955 Completed drilling September 9, 1955 Drilling tools ~~Code~~ Rotary
Total depth 4888' Plugged depth 470' GEOLOGICAL MARKERS DEPTH
Junk None Sand and Shale Surface
Volcanics 740 ft.
Quartz Diorite 4512 ft.

SCANNED

Commenced producing - - - Date - - - Flowing/gas lift/pumping (cross out unnecessary words)

	Clean oil bbl. per day	Gravity Clean oil	Percent water including emulsion	Gas Mcf. per day	Tubing Pressure	Casing Pressure
Initial production	-	-	-	-	-	-
Production after 30 days	-	-	-	-	-	-

CASING RECORD (Present Hole)

Size of casing (A.P.L.)	Depth of shoe	Top of casing	Weight of casing	New or second hand	Seamless or Lapweld	Grade of casing	Size of hole drilled	No. of sacks of cement	Depth of cementing if through perforations
10-3/4 in.	480	Surf.	40 1/2	New	Seamless		10-3/4"	220	

PERFORATIONS

Size of casing	From	To	Size of perforations	Number of rows	Distance between centers	Method of perforations
	ft.	ft.				
	ft.	ft.				
	ft.	ft.				
	ft.	ft.				
	ft.	ft.				