

WELL SUMMARY REPORT
(Submit in duplicate)

Operator Reichhold Energy Corporation Field Mist
Well No. Longview Fibre 12-33, rd. Sec. 33, T 7N, R 5W, Columbia County, W. B. & M.
Location 1750.40' S 736.66' E NW/Corner Elevation above sea level 887.97 feet
All depth measurements taken from top of Kelly Bushing, which is 11.40 feet above ground

In compliance with the rules and regulations pursuant to ORS 520 (Chapter 667 OL 1953) the information given herewith is a complete and correct record of the present condition of the well and all work done thereon, so far as can be determined from all available records.

Date 11-18-81 Signed Timothy B. Williamson
Engineer or Geologist _____ Superintendent _____ Title Drilling Superintendent
(President, Secretary or Agent)

Commenced drilling 9-13-81 Completed drilling 9-24-81 Drilling tools Cable Rotary
Total depth 2475' Plugged depth _____ GEOLOGICAL MARKERS _____ DEPTH _____
Junk _____

Commenced producing Awaiting pipeline tie-in Date _____ Flowing/gas lift/pumping (cross out unnecessary words)

Clean oil bbl. per day	Gravity Clean oil	Percent water including emulsion	Gas Mcf. per day	Tubing Pressure	Casing Pressure
Initial production					
Production after 30 days					
Shutin waiting for pipeline connection.					

CASING RECORD (Present Hole)

Size of casing (A.P.L.)	Depth of shoe	Top of casing	Weight of casing	New or second hand	Seamless or Lapweld	Grade of casing	Size of hole drilled	No. of sacks of cement	Depth of cementing if through perforations
7	441.99	-0-	20	N	S	K-55	9 7/8	200	

PERFORATIONS

Size of casing	From	To	Size of perforations	Number of rows	Distance between centers	Method of perforations
	ft.	ft.				
4 1/2	2268 ft.	2275 ft.	53 1/2" holes/FT			SSB jet gun
4 1/2	2275 ft.	2295 ft.	80 1/2" holes/FT			
4 1/2	2302 ft.	2323 ft.	80 1/2" holes/FT			
	2333 ft.	2343 ft.	40 1/2" holes/FT			

Electrical Log Depths _____ (Attach Copy of Log)

Form 4 1/54

WELL SUMMARY REPORT
(Submit in duplicate)

Operator Reichhold Energy Corporation Field Mist
Well No. Longview Fibre 12-33 Sec. 33, T 7N, R 5W, Columbia County, W. B. & M.
Location 1750.40' S 736.68' E NW/corner Elevation above sea level 887.97 feet
All depth measurements taken from top of Kelly Bushing, which is 11.40 feet above ground

In compliance with the rules and regulations pursuant to ORS 520 (Chapter 667 OL 1953) the information given herewith is a complete and correct record of the present condition of the well and all work done thereon, so far as can be determined from all available records.

Date 11-18-81 Signed Timothy B. Williamson
Engineer or Geologist _____ Superintendent _____ Title Drilling Superintendent
(President, Secretary or Agent)

Commenced drilling 9-4-81 Completed drilling 9-12-81 Drilling tools Cable Rotary
Total depth 2407 Plugged depth 2407 - 2307 GEOLOGICAL MARKERS _____ DEPTH _____
Junk _____

Commenced producing Plugged orig. hole Date _____ Flowing/gas lift/pumping (cross out unnecessary words)

Clean oil bbl. per day	Gravity Clean oil	Percent water including emulsion	Gas Mcf. per day	Tubing Pressure	Casing Pressure
Initial production					
Production after 30 days					

CASING RECORD (Present Hole)

Size of casing (A.P.L.)	Depth of shoe	Top of casing	Weight of casing	New or second hand	Seamless or Lapweld	Grade of casing	Size of hole drilled	No. of sacks of cement	Depth of cementing if through perforations
7	441.99		20	New	Seamless	K-55	9 7/8	200	

PERFORATIONS

Size of casing	From	To	Size of perforations	Number of rows	Distance between centers	Method of perforations
	ft.	ft.				
	ft.	ft.				
	ft.	ft.				
	ft.	ft.				

Electrical Log Depths _____ (Attach Copy of Log)