


STATE OF OREGON
DEPARTMENT OF GEOLOGY AND MINERAL INDUSTRIES

800 NE Oregon St #28

Portland, OR 97201

HISTORY OF OIL OR GAS WELL
(In compliance with rules and regulations pursuant to ORS 520)

Enerfin Resources Northwest		"Longview Fibre"		43-32-65 (Condor)		
(Company or Operator)		(Lease)		(Well No.)		
Sec.	32	T	6N	R	5W	Surveyed Coordinates:
SHL=	2,367' North and 1,009' West from the Southeast corner of Section 32					
BHL=						
Wildcat:	NA	(or) Field Name:	Mist Gas	County:	Columbia	
Signature:						
Date:	August 18, 1999		Position:	Operations Manager		

Use this form in reporting the daily operations at the well. (Operator may use his own forms, but heading of this form must also be completed and submitted.) Please submit a complete history of the well. Include such information as bit sizes, mud weights, casing sizes and depths set, amount of cement used, drilling depths, fishing, logging, perforating, and plugging procedures, and anything else pertinent to the operations. Do not include lithology.

Date

08-11-99 MIRU Taylor workover rig and pump. Open well (450 SITP/450 SICP). Bleed pressure off well and circulate with water to assure static condition. Remove tree and install BOPE. Pull hangar and lower tubing to 1,845'. Equalize 30 sx of Class "G" cement. Pull out of hole to 1,039'. Secure rig and CWIFN.

08-12-99 Open well. Run in hole and locate TOC at 1,673' (witnessed and approved by Dan Wermiel-DOGAMI). Change hole over to drilling mud. Pull out of hole laying down tubing. Nipple down BOPE. Cut off wellhead and cut casings 5' below GL. Set 25 lineal foot cement plug in 7" casing and 7" X 10-3/4" annulus from surface. Rig down hoist and move equipment off location.