

WELL SUMMARY REPORT  
(Submit in duplicate)

Operator Sunnyvale Oil Co., Inc. Field Logdell Area  
 Well No. Mitchell #1 SE1/4 Sec. 14, T 16S, R 29E, WM W. B. & M.  
 Location 600 N & 660 E from SE Corner Elevation above sea level 5000' feet  
 All depth measurements taken from top of rotary table, which is 4' feet above ground

In compliance with the rules and regulations pursuant to ORS 520 (Chapter 667 OL 1953) the information given herewith is a complete and correct record of the present condition of the well and all work done thereon, so far as can be determined from all available records.

Date April 30, 1959 Signed Mitchell Pusatori

Engineer or Geologist \_\_\_\_\_ Superintendent \_\_\_\_\_ Title President  
 (President, Secretary or Agent)

Commenced drilling Dec. 3, 1957 Completed drilling April 30, 1958 Drilling tools Cable Rotary

Total depth 1168' Plugged depth 0 GEOLOGICAL MARKERS DEPTH

Junk \_\_\_\_\_ Jurassic Moline 0-1168'

Commenced producing \_\_\_\_\_ Date \_\_\_\_\_ Flowing/gas lift/pumping  
 (cross out unnecessary words)

Initial production  
 Production after 30 days

Clean oil bbl. per day	Gravity Clean oil	Percent water including emulsion	Gas Mcf. per day	Tubing Pressure	Casing Pressure

## CASING RECORD (Present Hole)

Size of casing ( A.P.L )	Depth of shoe	Top of casing	Weight of casing	New or sec- ond hand	Seamless or Lapweld	Grade of casing	Size of hole drilled	No. of sacks of cement	Depth of cement- ing if through perforations
<u>6 5/8"</u>	<u>80'</u>	<u>0</u>	<u>17</u>	<u>New</u>	<u>Smless</u>	<u>H-40</u>	<u>8"</u>	<u>?</u>	<u>Around Shoe</u>

## PERFORATIONS

Size of casing	From	To	Size of perforations	Number of rows	Distance between centers	Method of perforations
	ft.	ft.				
	ft.	ft.				
	ft.	ft.				
	ft.	ft.				
	ft.	ft.				