

MISCELLANEOUS NOTICES AND REPORTS ON WELLS AND STRATIGRAPHIC HOLES  
(Submit in triplicate)

This is a combined form, use only portions pertinent to your needs.

STATE DEPT. OF GEOLOGY  
& MINERAL INDS.

To comply with rules and regulations adopted pursuant to ORS 520 (Chapter 667 OL 1953).

Notices		Reports	
Indicate nature of notice by checking below:		Indicate nature of report by checking below:	
Notice of intention to plug well		Report on plugging well (use form 5)	
Notice of intention to make formation test		Report on making formation test	
Notice of intention to make production test		Report on making production test	
Notice of intention to abandon well		Report on abandoning well	
Notice of intention to test casing shut-off		Report on testing casing shut-off	
Notice of intention to redrill or deepen well		Report on redrilling or deepening well	
Notice of intention to shoot or chemically treat well		Report on shooting or chemically treating well	
Notice of intention to complete well		Report on completion of well	

Submit notices in triplicate before the work specified is to begin. A copy will be returned to the sender on which will be given the approval, with any modifications considered advisable, or the rejection by the Department or agent, of the plan submitted.

Submit reports in triplicate within 20 days after the work specified is completed.

Drilling location Umatilla County, Oregon, December 12 1956Department of Geology and Mineral Industries  
Portland, OregonFollowing is a report on the work done and the results obtained at the Big Red Uranium Company  
notice of intention to do certain work as described below Company or OperatorJohn Richartz Well No. 1 in NW  $\frac{1}{4}$ 

Lease

of sec. 24, T. 6N, R. 34, W.B. & M., Wildcat field,Umatilla County. The dates of this work were as follows: \_\_\_\_\_Notice of intention to do the work was (was not) submitted on form \_\_\_\_\_ on \_\_\_\_\_ 19\_\_\_\_  
and approval of the proposed plan was (was not) obtained. (Cross out incorrect words.)

The present condition of the well, including complete casing record, is as follows (Use additional sheets as needed):  
Upon the advice of our drilling engineer we find it to be more practical to use 18 inch pipe instead of 20 inch for the first 50 feet of the well. This is based upon the driveability of the 18 inch pipe as compared with the 20 inch pipe. The 18 inch pipe with 3/8 inch wall is much more sturdy and will drive more readily. From there for the next 500 feet or more we find it necessary to drop to a 14 inch pipe instead of 16 inch because the 16 inch casing will not fit into the 18 inch.

FOLLOWING IS A COMPLETE DETAILED ACCOUNT OF WORK DONE AND RESULTS OBTAINED  
(USE ADDITIONAL SHEETS AS NEEDED) PROPOSED WORK

Last produced \_\_\_\_\_ (date) \_\_\_\_\_ (net oil) \_\_\_\_\_ (gravity) \_\_\_\_\_ (cut)

Approved <u>December 13</u> 19 <u>56</u>
except as follows:
DEPARTMENT OF GEOLOGY AND MINERAL INDUSTRIES
By <u>Robert Miller</u> Director

Big Red Uranium Company  
Company or operator

By Marvin Michel  
Position Sec. Treas.

Send communications regarding well to  
Name Big Red Uranium Company  
Address 508 Main Street Vancouver, Washington