

STATE OF OREGON
DEPARTMENT OF GEOLOGY AND MINERAL INDUSTRIES
1069 State Office Building, Portland 1, Oregon

WELL SUMMARY REPORT
(Submit in duplicate)

Operator Uranium Oil & Gas Company Field Camas Valley Area
Well No. Wm Ziedrich No. 1 NW 1/4 Sec. 16, T 29S, R 8W, W. B. & M.
Location 1570'S & 238'W from N 1/4 cor. Elevation above sea level 1447' ground feet
All depth measurements taken from top of Kelley Bushings, which is 6' feet above ground
In compliance with the rules and regulations pursuant to ORS 520 (Chapter 667 OL 1953) the information given herewith is a complete and correct record of the present condition of the well and all work done thereon, so far as can be determined from all available records.
Date _____ Signed Aubrey J. Nunes, M.D.
Title President
Engineer or Geologist _____ Superintendent _____ (President, Secretary or Agent)

Commenced drilling August 1955 Completed drilling November 1955 Drilling tools Cable Rotary
Total depth 4368' Plugged depth 397' GEOLOGICAL MARKERS DEPTH
Junk None Umpqua Formation 0-4368'

Commenced producing _____ Date _____ Flowing/gas lift/pumping (cross out unnecessary words)

	Clean oil bbl. per day	Gravity Clean oil	Percent water including emulsion	Gas Mcf. per day	Tubing Pressure	Casing Pressure
Initial production						
Production after 30 days						

CASING RECORD (Present Hole)

Size of casing (A.P.L.)	Depth of shoe	Top of casing	Weight of casing	New or second hand	Seamless or Lapweld	Grade of casing	Size of hole drilled	No. of sacks of cement	Depth of cementing if through perforations
<u>11 5/8"</u>	<u>195'</u>	<u>surface</u>							<u>100 sacks constr. cement</u>

PERFORATIONS

Size of casing	From	To	Size of perforations	Number of rows	Distance between centers	Method of perforations
	ft.	ft.				
	ft.	ft.				
	ft.	ft.				
	ft.	ft.				
	ft.	ft.				

Electrical Log Depths 3063' (Attach Copy of Log)

STATE OF OREGON
DEPARTMENT OF GEOLOGY AND MINERAL INDUSTRIES
1069 State Office Building, Portland 1, Oregon

WELL SUMMARY REPORT
(Submit in duplicate)

Operator Uranium Oil & Gas Field Camas Valley
Well No. Ziedrich 1 Sec. 16, T 29S, R 8W, WM W. B. & M.
Location _____ Elevation above sea level 1447' feet
All depth measurements taken from top of Kelley Bushing, which is 1453' feet above ground
In compliance with the rules and regulations pursuant to ORS 520 (Chapter 667 OL 1953) the information given herewith is a complete and correct record of the present condition of the well and all work done thereon, so far as can be determined from all available records.
Date 1957 Signed Aubrey Nunes
Title President
Engineer or Geologist _____ Superintendent _____ (President, Secretary or Agent)

Commenced drilling 8-3-55 Completed drilling 12-8-55 Drilling tools Cable Rotary
Total depth 4368' Plugged depth 0 GEOLOGICAL MARKERS DEPTH
Junk _____ Spud in Umpqua Fm.

Commenced producing _____ Date _____ Flowing/gas lift/pumping (cross out unnecessary words)

	Clean oil bbl. per day	Gravity Clean oil	Percent water including emulsion	Gas Mcf. per day	Tubing Pressure	Casing Pressure
Initial production						
Production after 30 days						

CASING RECORD (Present Hole)

Size of casing (A.P.L.)	Depth of shoe	Top of casing	Weight of casing	New or second hand	Seamless or Lapweld	Grade of casing	Size of hole drilled	No. of sacks of cement	Depth of cementing if through perforations
<u>11 3/4"</u>	<u>202</u>	<u>0</u>						<u>200 sks</u>	<u>Around shoe</u>

PERFORATIONS

Size of casing	From	To	Size of perforations	Number of rows	Distance between centers	Method of perforations
	ft.	ft.				
	ft.	ft.				
	ft.	ft.				
	ft.	ft.				
	ft.	ft.				

Electrical Log Depths ES 3062, Micro L-195-2500 (Attach Copy of Log)